

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A method of processing a sequence of image frames to estimate image velocity through the sequence comprising:

block matching using a similarity measure by comparing the intensities in image blocks in two frames of the sequence and calculating the similarity between the said blocks on the basis of their intensities, calculating from the similarity a probability measure that the two compared blocks are the same, and estimating the image velocity based on the probability measure, wherein the probability measure is calculated using a parametric function of the similarity which is independent of position in the image frames.

2. (Original) A method according to claim 1 wherein the parameters of the parametric function are independent of position in the image frames.

3. (Original) A method according to claim 2 wherein at least one of the parameters is optimised by coregistering the frames in the sequence on the basis of the calculated image velocity, calculating a registration error and varying at least one of the parameters to minimise the registration error.

4. (Original) A method according to claim 3 wherein the registration error is calculated from the differences of the intensities in the coregistered frames.

5. (Original) A method according to claim 4 wherein the registration error is calculated from the sum of the squares of the differences of the intensities in the coregistered frames.

6. (Currently Amended) A method according to ~~any one of the preceding claims~~ claim 1 further comprising the step of normalising the calculated similarity with respect to the size of the block and calculating the probability measure on the basis of the normalised similarity.

7. (Original) A method according to claim 6 wherein the calculated similarity is normalised by dividing it by the number of image samples in the block.

8. (Original) A method according to claim 6 wherein the calculated similarity is normalised by dividing it by the number of pixels in the block.

9. (Currently Amended) A method according to ~~any one of the preceding claims~~ claim 1 wherein the probability measure is a monotonic function of the similarity.

10. (Currently Amended) A method according to claim 1 ~~any one of the preceding claims~~ wherein the probability measure is thresholded such that motions in the image velocity whose probabilities have a predefined relationship with a threshold are ignored.

11. (Original) A method according to claim 10 wherein the threshold is optimised by coregistering the frames in the sequence on the basis of the calculated image velocity, calculating a registration error and varying the threshold to minimise the registration error.

12. (Currently Amended) A method according to claim 10 ~~or 11~~ wherein the threshold is positionally independent.

13. (Currently Amended) A method according to claim 10, ~~11 or 12~~ wherein the threshold and parameters are optimised together.

14. (Currently Amended) A method according to claim 1 ~~any one of the preceding claims~~ further comprising normalising the intensities in the two blocks to have the same mean and standard deviation before calculating said similarity.

15. (Currently Amended) A method according to claim 1 ~~any one of the preceding claims~~ wherein the similarity measure is the  $CD_{2-bis}$  similarity measure.

16. (Currently Amended) A method according to claim 1 ~~any one of the preceding claims~~ wherein the block matching is conducted across three frames of the sequence by comparing the intensities in blocks in the first and third and the second

and third of the three frames and calculating the similarity from said compared intensities.

17. (Original) A method according to claim 16 wherein the blocks in the first and second frames are blocks calculated as corresponding to each other on the basis of a previous image velocity estimate.

18. (Original) A method of processing a sequence of image frames to estimate image velocity through the sequence comprising:

block matching using a similarity measure by comparing the intensities in image blocks in three frames of the sequence by comparing the intensities in blocks in the first and third and the second and third of the three frames, and calculating the similarity between the said blocks on the basis of their intensities.

19. (Currently Amended) A method according to claim\_18 wherein the blocks in the first and second frames are blocks calculated as corresponding to each other on the basis of a previous image velocity estimate.

20. (Currently Amended) A method according to claim\_19 comprising defining for each block in the second frame a search window encompassing several blocks in the third frame, and calculating the similarity of each block in the search window to the said block in the second frame and to the corresponding position of the said block in the first frame based on the previous image velocity estimate.

21. (Original) A method of processing a sequence of image frames to estimate image velocity through the sequence comprising:

block matching using a similarity measure by comparing the intensities in image blocks in two frames of the sequence and calculating the similarity between the said blocks on the basis of their intensities, further comprising normalising the intensities in the two blocks to have the same mean and standard deviation before calculating said similarity.

22. (Original) A method according to claim 21 wherein the similarity measure is the  $CD_{2-bis}$  similarity measure.

23. (Currently Amended) A method according to claim 21-~~or~~ 22 wherein the block matching is conducted across three frames of the sequence by comparing the intensities in blocks in the first and third and the second and third of the three frames and calculating the similarity from said compared intensities.

24. (Original) A method according to claim 23 wherein the blocks in the first and second frames are blocks calculated as corresponding to each other on the basis of a previous image velocity estimate.

25. (Currently Amended) A method according to claim 1 ~~any one of the preceding claims~~ wherein the image velocity estimate is refined by modifying the image

velocity estimate at each position in the image with the estimated image velocity at surrounding positions.

26. (Currently Amended) A method according to claim 1 ~~any one of the preceding claims~~ wherein the images are medical images.

27. (Currently Amended) A method according to claim 1 ~~any one of the preceding claims~~ wherein the images are ultrasound images.

28. (Currently Amended) Image processing apparatus comprising an image velocity estimator adapted to estimate image velocity in accordance with the method of claim 1 ~~any one of the preceding claims~~.

29. (Currently Amended) A computer program comprising program code means for executing on a programmed computer the method of claim 1 ~~any one of claims 1 to 27~~.

30. (Original) A computer-readable storage medium storing a computer program according to claim 29.